

NPort 5610-16



Moxa's NPort device servers instantly enable your serial devices for network connectivity. With their compact design, they are perfect for integrating devices like card readers and payment terminals into an IP-based Ethernet LAN. The 16-port RS-232 rackmount device server features RJ45 connectors and supports 100 to 240 VAC power input.

Specifications

Product	NPort 5610-16	Housing	Metal
Country of origin	Taiwan	Network protocols	TCP, UDP, Modbus TCP, SNMP, DHCP
Manufacturer	Moxa	Regulation	RS232 / RS485, 0 - 10VDC or Triac
Size	440 x 45 x 198 mm	Weight	2,490 g
Network	Ethernet: 2 x 10/100BaseT	Operating temp	-10 to 60°C
Number of ports	16 x RS-232	Power Supply	100 to 240 VAC, 47 to 63 Hz

Specifications

Product	NPort 5610-16	Housing	Metal
Country of origin	Taiwan	Network protocols	TCP, UDP, Modbus TCP, SNMP, DHCP
Manufacturer	Moxa	Regulation	RS232 / RS485, 0 - 10VDC or Triac
Size	440 x 45 x 198 mm	Weight	2,490 g
Network	1 x 10/100BaseT(X) port	Operating temp	-10 to 60°C
Number of ports	16 x RS-232	Power Supply	100 to 240 VAC, 47 to 63 Hz

Specifications

Connector type	8-pin RJ45
Supported signals	TxD, RxD, RTS, CTS, DTR, DSR, DCD, GND
Baud rates	50 bps to 921.6 kbps.
Data/Stop Bits	5, 6, 7, 8 data bits; 1, 1.5, 2 stop bits
Configuration options:	SNTP
Encryption	HTTPS (TLS 1.2), AES-128, RSA-1024, SHA-1, SHA-256
Installation	19-inch rack mounting
Interactive interface	LCD panel with buttons for configuration
Operating temperature	0 to 60°C
Relative humidity	5 to 95% non-condensing
Input voltage	100-240 VAC
EMC	EN 55032/24
EMI	CISPR 32, FCC Part 15B Class A
Safety	UL 60950-1